

935946



Our « EBS screws family » has been designed to quickly, securely and durably assemble different materials together such as: carbon-fiber composites, steel, aluminum, plastics, etc.

This range of flow-tapping screws has advantageous technical characteristics, such as the creation of a tapped barrel without residual shavings, the possibility to assemble additional components in different materials without pre-drilling etc.

Our EBS screws also allow the attachment of optional accessories and trim directly onto the body-in-white (for example the bumper, the window frame, the B-Pillar, etc.) without a pre-punched hole.

936825



Our « EBS screws family » has been designed to quickly, securely and durably assemble

different materials together such as: carbon-fiber composites, steel, aluminum, plastics, etc.

This range of flow-tapping screws has advantageous technical characteristics, such as the creation of a tapped barrel without residual shavings, the possibility to assemble additional components in different materials without pre-drilling etc.

Our EBS screws also allow the attachment of optional accessories and trim directly onto the body-in-white (for example the bumper, the window frame, the B-Pillar, etc.) without a pre-punched hole.

937606



Our « EBS screws family » has been designed to quickly, securely and durably assemble different materials together such as: carbon-fiber composites, steel, aluminum, plastics, etc.

This range of flow-tapping screws has advantageous technical characteristics, such as the creation of a tapped barrel without residual shavings, the possibility to assemble additional components in different materials without pre-drilling etc.

Our EBS screws also allow the attachment of optional accessories and trim directly onto the body-in-white (for example the bumper, the window frame, the B-Pillar, etc.) without a pre-punched hole.

937857



Our « EBS screws family » has been designed to quickly, securely and durably assemble different materials together such as: carbon-fiber composites, steel, aluminum, plastics, etc.

This range of flow-tapping screws has advantageous technical characteristics, such as the creation of a tapped barrel without residual shavings, the possibility to assemble additional components in different materials without pre-drilling etc.

Our EBS screws also allow the attachment of optional accessories and trim directly onto the body-in-white (for example the bumper, the window frame, the B-Pillar, etc.) without a pre-punched hole.
