CB8991



Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

CBB8874



Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

CBB8923



Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

PRD05047



Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

PRD05582

Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

fastenerlisi@lisi-group.com

PRF02302



Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

fastenerlisi@lisi-group.com

PRF02460



Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below:

fastenerlisi@lisi-group.com

PRM3682

Our « elastic anti-creep rings » family has been designed to reinforce clearance holes in plastics to provide a metal to metal contact allowing the application of clamping forces and limit the compression to avoid over-stressing of the plastic.

This family includes different forms such as round and oblong products.

In addition to allowing a durable and safe assembly, our « elastic anti-creep rings » solutions have advantageous characteristics such as the ability to be used on different panel thicknesses, on different hole diameters, etc.

For more information about this assembly solution,

please contact us at the e-mail address below: